LGB-19DZT

19" LCD iDTV with sensational audio output









90/ 19" LCD iDTV with sensational audio output

Bring the charm of the orchestra into your home at the touch of button.

LGB-19DZT gives you the highest quality digital audio and powerful audio output. You can enjoy alarm and snooze functions with convenience. Now there's no need for radio. You can easily see the radio channels listed on the front display. LGB-19DZT puts great emphasis on the importance of Audio.













Features & Functions

- Analogue and Digital Terrestrial Television (DTT) receptions
- WXGA+ (1440 x 900 pixels) resolution support
- Advanced Colour Enhancement (Flesh-tone Compensation & Colour Enhancement)
- Wide Viewing Angle
- Common Interface Slot
- Digital Text & Interactive via MHEG middleware
- Variable Input/Output (Component, CVBS, S-Video)
- SRS TruSurround XT support

- 7 Day EPG (Electronic Programme Guide)
- PC Input support
- Powerful Audio Output: 8W + 8W (2Way 4Speaker)
- HDMI Input
- Earphone Jack support
- Radio Alarm/Snooze function support
- Low power consumption mode in digital radio mode
- Radio Mode support (on front display)
- Clock function on Front Display

Enhanced, multi-dimensional, and digital Hi-Fi sound system draws you into the heart of the multimedia experience

1. Radio Channel on Front Display



3. SRS TruSurroundXT



2. Motion Adaptive function



(Slow panning as viewed on screen)
High-speed Motion Adaptive Function Removes Motions Blur

4. Authentic Colour (Contrast & Colour)



Daytime scenes that require a boost of dark colours



Nighttime scenes that require a boost of bright colours

5. Advanced Colour Enhancement

(Flesh-tone compensation & Colour Enhancement)







Colour Enhancement



Specification

Model I GR-19D7T

Type Digital / Analogue LCD TV Size

Connectivity

RGB Scart 1 **HDMI** Input S-VIDEO Input **COMPONENT Input** COMPOSITE Input PC Input PC AUDIO Input HEAD PHONE Output CAM Slot

Sound

Headphone Socket Power Output (Watts) 8W + 8WSound (eg. Virtual Dolby) SRS TruSurroundXT Bottom

Speaker Location

PC Mode

Horizontal Frequency 31.469-48.363kHz Vertical Frequency

Video Bandwidth 110MHz (WXGA, 60Hz) Resolution 1360 x 768 @60Hz

Power

58 W (Sound 1W, AC 220V) Power Consumption (on)

500 x 439 x 170 mm

500 x 355 x 68 mm

Power Consumption (standby) 2 W (AC220V)

Dimensions

Width x Height x Depth

(with stand)

Width x Height x Depth

(without stand)

Weight 8.2Ka

Picture

Panel Resolution 1440 x 900

Aspect Ratio Auto, 4:3,14:9, Full, Zoom

Brightness 300 cd/m² Contrast Ratio 1000:1 Viewing Angle 160°

Colour Enhancement Skin Tone correction.

Blue and Green strech, Dynamic Contrast,

Luma sharpness, Non-linear colorspace

Response Time (ms) 5 ms

Features


Integrated Digital Tuner Yes Auto Tuning Yes Electronic Programme Guide Yes Digital Text / Interactive (MHEG) Yes Digital Tuner 1 Analogue Tuner

Teletext Type (eg. FASTEXT) Yes (FASTEXT)

Timer Facility Yes

Items included

Table Top Stand Yes Batteries for Remote Yes User Manual Yes Power Cable Yes



HUMAX Electronics Co., Ltd. London

c/o EGL, Godfrey Way, Hounslow, Middlesex, TW4 5SY, U.K.

Tel: 0870 247 8800 Fax: 44 208 744 5511 E-mail: sales-info@humax-digital.co.uk

HUMAX-Digital GmbH

Karl-Hermann-Flach-Str.19, 61440 Oberursel/Ts, Germany Infohotline: 01805-778870 (14 Cent/min)

HUMAX Co., Ltd. Italy

Via Achille Grandi 25, Vimodrone (MI), 20090, Italy Fax: 39 0471 54 37 40 www.humaxdirect.it

P.O. Box 17459 Dubai, U.A.E. Tel: 9714 359 2323 Fax: 9714 351 9393 E-mail: callcenterme@humaxdigital.com

